

EQUIPMENT CATALOG



EXERCISING WITH A ROPE TRAINING MACHINE

Ropeflex training equipment delivers the benefits of both isokinetic and aerobic exercise. Our rope trainers are based on simple, time-proven principles of rope climbing while reducing the risk of this traditionally dangerous activity to nearly zero. Individuals of any age and athletic ability can benefit from our unique rope technology safely and comfortably.

OUR TECHNOLOGY

Direct drive, progressive magnetic resistance with zero maintenance. Our technology does not require gears, friction clutches, reduction belts or electrical power. Ropeflex magnetic resistance mechanism has been fully developed and tested in-house. It does not require adjustments and provides progressive resistance depending on the intensity of exercise. It is bi-directional and has zero inertia, allowing user to instantly reverse direction of the pull.

OUR ROPES

Ropeflex ropes are made using only the highest grade of polyester double-braided material. The outer core provides superior grip, while the inner core gives it strength. All ropes assemblies are hand stitched into endless loops, producing a seamless and durable connection.

OUR FRAMES

Ropeflex all steel frame designs are simple, robust and space efficient. We have optimized our products not only for strength, but cost as well, by not wasting material on non-functional features. All welded frames go through intense quality control process and once approved they are subjected to a thorough surface cleaning process to get ready for polymer based powder coat. Ropeflex machines can also work both indoor and outdoor. Weather-proof units are fully sealed, using stainless steel, and anodized aluminum components. Additional layers of special primer ensure long, rust free life of our steel frames.

INTERACTIVE TRAINING

Hipervision interactive training software is one of the best tools to turn a monotonous fitness routine into a fun and engaging strength-conditioning session. With 2 unique versions as well as desktop and mobile platforms, Hipervision can engage both professionals and amateurs, in a gym or school environment.



IBEX - RX2300

45-1008



- Safe alternative to ceiling rope vertican and horizontal rope trainer
- Durable, compact and light-weight design
- Soft-braided rope for easy and comfortable grip
- Cushioned seat and back support for various workout routines
- Magnetic / bidirectional mechanism with automatically adjustable resistance

WOLF - RX2200 45-1008



- Durable, compact and light-weight design
- Soft-braided rope for easy and comfortable grip
- Cushioned seat various workout routines
- Magnetic / bidirectional mechanism with automatically adjustable resistance

OX - RX2000

45-5043



- Multi-mode base mount, bottom pull rope trainer
- Accommodates standing or sitting rope pulling positions
- Soft-braided rope for easy and comfortable grip
- Plastic rollers to allow for quick and easy relocation of the entire unit
- Magnetic / bidirectional mechanism with automatically adjustable resistance

0X2 - RX2100



Available sealed outdoor configuration

ORYX - RX2500

45-1005



- Safe alternative to ceiling rope vertical, horizontal and bottom pull rope trainer
- Standard 1 pulley configuration (optional 2nd and 3rd pulleys)
- Durable, compact and ADA compliant design
- Soft-braided rope for easy and comfortable grip
- Cushioned seat (removable)
- Magnetic / bidirectional mechanism with automatically adjustable resistance





ORYXH - RX2500H

+

45-1005-22



Magnetic / bidirectional mechanism with automatically adjustable resistance

ORYX2 - RX5500

45-3245



- Removable non-cushioned seat for outdoor use
- ---- Magnetic / bidirectional mechanism with automatically adjustable resistance

VORTEX - RX3300



- Full Wody Workout Dual Drum, adjustable incline rope trainer
- ----- Multi-mode seat configuration: sliding or adjustable locking positions
- Assisted frame incline adjustment
- Durable and stable construction
- Soft-braided rope for easy and comfortable grip
- Magnetic / bidirectional mechanism with automatically adjustable resistance



HYDRA - RX505

45-7979-02

RX2500 PULLEY

30-4111

RX2100 PULLEY

30-4111-01



- Additional pulley for the OX2 RX2100
- Add horizontal and bottom rope pulls pulls
- Mounting: 0.55" holes, 4" apart

HIPERVISION zx

46-2001



Friction rope drum with adjustable resistance

• Optional pull-pin slider plate for 2" square tube

Open-end or Closed-loop rope options

- ------ Set goals for time and distance / interval mode
- Keep track and log history for multiple users

HIPERVISION GX

Mounting: 0.55" holes, 4" apart

46-1001



Additional pulley for the ORYX - RX2500

Add horizontal and bottom rope pulls pulls

- Interactive 3D training environment
- Set goals for time and distance
- Keep track of progress and race other users

ACCESSORIES

	PRODUCT DIMENSIONS						PRODUCT WEIGHT		RESISTANCE	
ROPE TRAINERS	ENGLISH (INCHES)			METRIC (CM)			ENGLISH	METRIC	ENGLISH	METRIC
	L	W	Н	L	W	Н	LB	KG	LB	KG
IBEX - RX2300	48	33	61	122	84	155	120	54	100	45
WOLF - RX2200	62	21	18	21	53	46	70	32	100	45
OX - RX2000	21	28	19	53	71	48	70	32	100	45
OX2 - RX2100	13	13	16	33	33	41	45	20	100	45
ORYX - RX2500	48	35	91	122	89	231	140	64	100	45
ORYXh - RX2500h	48	35	91	122	89	231	180	82	100	45
ORYX2 - RX5500	47	45	104	119	114	264	150	68	100	45
VORTEX - RX3300	100	35	54	254	89	137	300	136	200	90
ADDEX - RX3200	80	21	26	203	53	66	170	77	150	68
APEX - RX4400	90	42	90	228	107	228	400	181	250	113
HYDRA - RX505	11	8	11	28	20	28	18	8	350	158
RX2500 PULLEY	155	137	178	61	54	70	262	578	90	198

WARRANTY	
Frame (not coatings)	10 years
Structural parts	10 years
Pulleys	5 years
Bearings	5 years
Labor	3 years
Electronics	1 year
Rope / Upholstery	6 months
Accessories	6 months

Frame is defined as the welded-metal base of the unit and does not include removable parts.

Note : All specifications are subject to change without notice. Actual products may differ from those pictured in this catalog.



Upholstery Options

NOTE: Actual colors may vary from the colors seen on your viewing screen or print.



Product pricing is reflective**stándard** upholstery and frame colors only. Other color options available at an additional charge.

ROPEFLEX / HIPEQ 80 Glenn Way STE 8 San Carlos, CA 94070 ROPEFLEX.COMTEL:65EMAIL:INFO@HIPEQ.COMFAX:8 I

TEL: 650-549-5888 FAX: 815-572-0053